



[I-21/125/2025-W&M Section]

GOVERNMENT OF INDIA/भारत सरकार  
MINISTRY OF CONSUMER AFFAIRS, FOOD AND PUBLIC DISTRIBUTION  
उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय  
DEPARTMENT OF CONSUMER AFFAIRS/ उपभोक्ता मामले विभाग  
LEGAL METROLOGY DIVISION/ विधिक मापविज्ञान प्रभाग

Krishi Bhawan/कृषि भवन, नई दिल्ली  
Dated/दिनांक:- 26.05.2025

Certificate of Approval of Model/ मॉडल का अनुमोदन प्रमाणपत्र


Whereas the Central Government, after considering the report submitted to it by prescribed authority, is satisfied that the model described in the said report (see the figure given below) is in conformity with the provisions of the Legal Metrology Act, 2009 (1 of 2010) and the Legal Metrology (Approval of Models) Rules, 2011 and the said model is likely to maintain its accuracy over periods of sustained use and to render accurate service under varied conditions;

Now, therefore, in exercise of the powers conferred by section 22 of the Legal Metrology Act, 2009 (1 of 2010) read with sub-rule (6) of rule 8 and sub-rule (4) of rule 11 of the Legal Metrology (Approval of Models) Rules, 2011, as per Schedule Seventh of the Legal Metrology (General) Rules, 2011, the Central Government hereby issues the certificate of approval of automatic gravimetric filling instrument belonging to accuracy class X(x), where x=1 of series "MicroPACK'R" and with brand name "PACK'REALISATIONS S.A" (hereinafter referred to as the said model), manufactured by M/s. PRECIA MOLEN INDIA PVT LTD., DP-55, SIDCO Industrial Estate, Thirumazhisai, Chennai-600124 and which is assigned the approval mark IND/09/25/188 (the picture of the model is given below as Figure 1);

**Technical Data:**

Type of instrument	Automatic gravimetric filling instrument
Working Principle	Strain gauge type load cell based
Accuracy class	X(1)
Maximum capacity	10 kg
Minimum capacity	2 kg
Scale interval (d)	2 g
Filling speed	Upto 16 fills per minute
No. of filling heads	8
No of weighing heads	8
Power Supply	230 V, 50Hz AC / 24V DC
Load Cell	Make: Precia Molen; Model: Z6FC, Capacity: 30kg each; Accuracy Class: C; Type of Load cell: Bending Beam type strain gauge load cell
Type of Display	LCD
Intended to be used	Liquids like paint, ink, coating oils, concentrate, agrochemicals, chemicals, petrochemicals, lube oils, etc.

Figure 1






Figure 2

A typical schematic diagram of sealing provision to prevent the fraudulent practices of the model is given above as Figure 2. A dip switch has also been provided in the motherboard/PCB to disable access to external calibration.

Further, in exercise of the power conferred by sub-rule (9) of rule 8 of the Legal Metrology (Approval of Models) Rules, 2011, the Central Government hereby declares that this certificate of approval of the said model shall also cover the automatic gravimetric filling instruments of similar make, accuracy and performance of same series with capacities up to 30kg and no. of weighing/filling heads upto 24 manufactured by the same manufacturer in accordance with the same principle, design and with the same materials with which, the said approved model has been manufactured.

[F.No. I-21/125/2025-W&M Section]

*Ashutosh Agarwal*

Director (Legal Metrology) to Govt. of India/ (Ashutosh Agarwal/आशुतोष अग्रवाल)  
निदेशक (विधिक माप विज्ञान) भारत सरकार

Phone/दूरभाष 01123389489

Email/ई-मेल: [dirwm-ca@nic.in](mailto:dirwm-ca@nic.in)

Online Application No. 21017