



Government of India

Ministry of Consumer Affairs, Food and Public Distribution

Department of Consumer Affairs

Weights and Measures Unit

Certificate of Registration of Importer of Weights and Measures

[Under Section 19 of the Legal Metrology Act, 2009]

F.No. I-20/1/2024

Krishi Bhawan, New Delhi-01

Dated- 16/10/2024

CERTIFY That GURU KIRPA METAL C26 FOCAL POINT CHANALON Ajitgarh (Mohali) Punjab 140103 have been registered as Importer of the following items of Weights and Measures: **WATER METERS AS SPECIFIED IN LEGAL METROLOGY (GENERAL) RULES,2011 AND COVERED UNDER INTERNATIONAL ORGANIZATION OF LEGAL METROLOGY (OIML).**

Registration No: IMP/PB/157/2024

valid upto: 15/10/2029

Ashutosh Agarwal

Director (Legal Metrology)

Tel: 011 23389489

email: dirwm-ca@nic.in

आशुतोष अग्रवाल / ASHUTOSH AGARWAL
निदेशक, विधिक माप विज्ञान / Director, Legal Metrology
उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय
Ministry of Consumer Affairs, Food & PD
उपभोक्ता मामले विभाग / D/o Consumer Affairs
भारत सरकार / Government of India
कृषि भवन, नई दिल्ली / Krishi Bhawan, New Delhi

Copy to the Controller of Legal Metrology, Govt. of Punjab for kind information

Note:

1. No. non-standard weight or measure like tape measures marked in non-standards units of inch, feet etc. should be imported without prior permission of Central Govt. as required under Section 19 of the Legal Metrology Act, 2009.
2. The firm is requested to note that the registration does not necessarily constitute acceptance or recognition by the Government in any way of the facts stated in their application. Further the registration will not imply any commitment whatever on the part of Government to provide foreign exchange or any other assistance.
3. In case the firm desired to suspend their activities it should be informed immediately.
4. Holder of the Certificate of registration should ensure that weight or measure imported, as per the certificate of registration, have the model approved by Central Government after import and before use or sale